



REMOVE & RECOMPACT SUBMITTAL CHECKLIST
 LAND DEVELOPMENT SERVICES
 800 South Victoria Avenue, Ventura, CA 93009-1600
 (805) 654-3027 | PWA_LDServices@venturacounty.gov



The following items should be included in the R&R Grading Submittal application packet: Please submit the following documents via email to PWA_LDServices@VenturaCounty.gov electronically (PDF)

- A Copy of the approved Zone Clearance from Planning division
- LDS-RR Grading Permit Submittal (this form-box checked)
- LDS-01 Permit Application (must be signed and completed)
- LDS-03 Authorization of Agent, if applicable
- LDS-04 Acknowledgement of Employment of Technical Consultants (signed by all consultants and owner)
- SW Form
- Remove and Recompact Grading Permit Deposit
For current deposit/fee amounts, see "Schedule of Processing Fees & Deposits."
- Geotechnical Report
- LDS-11 Off-site construction permission letter (if required)
- R&R Cover Sheet

Expiration of application. An application for which no permit is issued within 360 days following the date of application shall expire by limitation. Plans, documents, reports, and other data submitted for review may thereafter be returned to the applicant or destroyed by the Building Official. Upon written request by the applicant, prior to permit expiration, a permit application may be extended by the Building Official where necessary and for good cause, for an extended time period that is deemed practical, provided:

1. The project plans and specifications have been updated to reflect compliance with any new applicable code provisions that came into effect as a result of an adopted code change, and
2. The request for extension is accompanied by an Application Extension Fee and a Plan Review Fee as prescribed in the County's adopted Fee Schedule, for review of any required plan revisions,
3. There are no significant changes to the plans or the permit application.

Refund Recipient:

Name _____ Address _____

City _____ Zip Code _____ Phone _____

Email _____



**LDS-01
GRADING PERMIT
LAND DEVELOPMENT SERVICES**
800 South Victoria Avenue, Ventura, CA 93009
(805) 654-3027 | PWA_LDservices@venturacounty.gov

Permit No. _____



Grading Work Description _____

Assessor Parcel No(s) _____

Address of Work _____

Grading Type: Regular Engineered Stockpile Agricultural Oil Field Remove & Recompact Discretionary

Depth of Cut _____ Excavation _____ CY Export _____ CY Height of Fill _____ Fill _____ CY Import _____ CY

Destination of Surplus _____ Source of Import _____

Stormwater Form(s): _____ WDID: _____ QSP Required: Yes No

VCPWA Comments: _____ VC DWG No(s) _____

PROJECT CONTACT INFORMATION

Permittee _____ Address _____

City _____ Zip _____ Email _____ Phone _____

Contractor _____ Address _____

City _____ Zip _____ Email _____ Phone _____

Civil Engineer _____ Address _____

City _____ Zip _____ Email _____ Phone _____

Soils Engineering _____ Address _____

City _____ Zip _____ Email _____ Phone _____

Geology _____ Address _____

City _____ Zip _____ Email _____ Phone _____

This permit authorizes only that work described hereon. Neither the issuance of this permit, nor the compliance with the provisions hereof or with any conditions imposed by this permit shall relieve any person from responsibility for damage to other persons or property nor impose any liability upon the governing agency for damage to other persons or property. All attached addenda are a part of this permit. All modifications of this permit or of the approved grading plan must be approved by the governing agency.

I hereby acknowledge that I have read this application and state that the above is correct, and that all excavation, grading and filling of land shall be in accordance with the approved plans, and the applicable grading ordinance. In consideration of the County issuing this grading permit the permittee agrees to comply with all provisions of this permit including the standard conditions (Page 2) and any special conditions attached hereto.

Your permit is not complete until a "NOTIFICATION OF COMPLETION - GRADING" is issued. Occupancy does not mean that your grading permit is complete.

X Signature _____ Print Name _____ Date _____
PERMITTEE

Issued by: _____ Date Issued _____ Expiration Date _____

WORKER'S COMPENSATION

It is required that each applicant file the following:

1. A certificate of consent to self-insure issued by the Director of Industrial Relations, or
2. A certificate of Worker's Compensation Insurance issued by an admitted insurer, or
3. An exact copy certified by the Director of Industrial Relations or the insurer, or

Worker's Compensation Insurance Policy No. _____ Expiration Date _____

4. Statement of Understanding:

"I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Worker's Compensation Laws of California. I further certify that I will verify compliance with the Worker's Compensation Laws of California of all sub-contractors contracted by me for any participation on projects over which I have contractual jurisdiction."
I declare under penalty of perjury that the foregoing is true and correct.

X Signature _____ Date _____

FILL IN ALL BLANKS. IF NOT APPLICABLE, ENTER THE WORD "NONE or N/A"
Signature of this sheet constitutes agreement of Standard Conditions as described on page 2

STANDARD PERMIT CONDITIONS

1. Grading shall be in accordance with:
 - a. Ventura County Building Code (VCBC) Appendix J, Latest Edition,
 - b. Ventura County Public Works Agency (VCPWA) Grading Permit Conditions, General Grading Notes, and Approved Grading Plans,
 - c. Standard Specifications for Public Works Construction (SSPWC),
 - d. Ventura County Standard Land Development Manual & Specifications and any supplemental conditions if applicable.
2. The Permittee shall call for inspection by the Building Official at all required stages of work with a minimum 48-hours notice. The Permittee shall obtain approval of all stages of work by the Building Official prior to proceeding with the next stage of work. Work stages are identified below as described in VCBC:
 - a. Pre-grade
 - b. Initial
 - c. In progress
 - d. Rough grade
 - e. Final grade
3. The permittee shall be responsible for determining the existence and location of any existing underground facilities.
4. An excavator planning to conduct an excavation shall notify UNDERGROUND SERVICE ALERT—SOUTHERN CALIFORNIA (toll free at 811) at least two working days, and not more than 14 calendar days, before beginning that excavation. The excavator shall obtain a DigAlert ticket requesting the utility owners to mark or otherwise indicate the location of their subsurface facilities and shall renew ticket(s) as required to maintain validity throughout the duration of grading activities. The excavator shall determine the location and depth of all utilities, including all service connections, which have been marked by the respective owners and which may affect or be affected by its operations. The excavator shall take all necessary measures to protect all utilities and structures found at the site. (Ref: California Government Code Section 4216.)
5. Construction inspection deposits shall be made in accordance with the Board of Supervisor's adopted Fee and Deposit Schedule. The permittee shall pay the actual costs (including overhead) for services rendered. If at any time the actual costs exceed the deposits, the permittee shall pay the balance due before proceeding with further work. Failure to remit payment when due may result in the County issuing a "Stop Work Notice". Deposits not used will be refunded to the permittee at time of completion of all required work.
6. A preconstruction/pre-grade conference of all interested parties shall be held prior to any construction or grading. Any work performed under this permit prior to conducting a pre-grade meeting will be subject to whatever action including restoration to existing conditions before work was begun, that the County of Ventura deems necessary to inspect, correct and/or approve said work.
7. This permit is valid only to the extent of Ventura County Building Code. Permits and consent required by other interested Agencies and consent of the underlying fee owner of easement and that of easement holders shall be the responsibility of the permittee. The permittee shall be responsible for obtaining all necessary permits and permissions from affected property owners, public agencies, and others.
8. If the owner wishes to change any technical consultants, grading shall cease until a new technical consultant assumes and accepts responsibility for the grading.
9. If the property subject to this permit changes ownership, the seller shall notify the Building Official in writing of the pending transfer and pay any outstanding permit fees. The grading shall cease until the new owner contacts Land Development Services to transfer the permit to the new owner and deposit permit fees.
10. Any deviation from the approved grading plans requires prior approval by the Building Official. The permittee shall submit a change order application and revised plans for review and approval by Land Development Services, unless the Building Official provides prior approval for a minor field adjustment to be documented on the "As-Built" drawings.
11. Prior to the "Notice of Completion" – all grading disturbed areas must be stabilized and slopes vegetated with 70% coverage using native vegetation, where practical.



LDS-03
AUTHORIZATION OF AGENT
TO ACT ON PROPERTY OWNERS BEHALF
LAND DEVELOPMENT SERVICES
 800 South Victoria Avenue, Ventura, CA 93009
 (805) 654-3027 | PWA_LDServices@venturacounty.gov

Permit No. _____



I hereby authorize the person identified below to act as my agent to apply for, sign, and file the documents necessary to obtain the permits required for my project (excluding the *Notice to Property Owner*, the execution of which I understand is my personal responsibility). My agent should receive copies of all notices and communications related to my project unless I have otherwise notified the County.

Project Description: _____

APN(s): _____

Project Address: _____

Name of Authorized Agent: _____

Address of Authorized Agent: _____

Phone Number of Authorized Agent: _____

E-Mail Address of Authorized Agent: _____

PROPERTY OWNER ACKNOWLEDGEMENT

I declare under penalty of perjury that I am the property owner for the address listed above and I personally filled out the above information and certify its accuracy. Further, I agree that I and my agent will abide by all ordinances of the County of Ventura and that any approvals granted for this project will be carried out in accordance with the requirements of the County of Ventura.

Property Owner's Name: _____

Property Owner's Signature: _____ Date: _____

Property Owner's Mailing Address: _____

Property Owner's E-Mail Address: _____

Property Owner's Phone Number: _____

Note: A copy of the owner's driver's license, notarization, or other verification acceptable to the agency must be submitted with this form to verify property owner's signature. The owner must be as shown on the latest Assessor records.

Staff Verification of Property Owner Signature: Driver License Notarized Letter Other

 Staff Signature

 Date



LDS-04
ACKNOWLEDGEMENT OF EMPLOYMENT
OF TECHNICAL CONSULTANTS
LAND DEVELOPMENT SERVICES
 800 South Victoria Avenue, Ventura, CA 93009
 (805) 654-3027 | PWA_LDServices@venturacounty.gov

Permit No. _____



Address/Location of Property _____

Tract No. _____ APN(s): _____

The Owner(s) of the above described property hereby acknowledge that, as a condition of the Grading Permit and during all work authorized by said permit, a Registered Civil Engineer will be retained to be in responsible charge of the work and perform the duties of Civil Engineer in accordance with requirements of the Grading Ordinance and the Land Development Manual, and further, that professional consultants (soils and geology) will be employed to make test, investigations, perform inspections and file the reports that are or may be required for compliance with said Ordinance and Manual.

Should new consultants be hired following approval by the County of the original reports and grading plan, the new consultants shall be bound by the grading plan and recommendations contained therein. If the plan, recommendations or work completed are not acceptable to the new consultants they shall provide a new report with recommendations and supporting data which must then be incorporated on a change order plan to be submitted for approval by Land Development Services.

Owner(s) Signature _____ Date _____ Phone _____

Owner(s) Name _____ Address _____

Email: _____ City _____

The undersigned verify that they have been retained as stated above and agree to notify the County within 48 hours if such employment is terminated. It is further understood that all Soils and/or Geology Reports are to be coordinated by and submitted to the County by the Civil Engineer.

Civil Engineer _____ Date _____ Phone _____
 (Signature)

Name _____ Firm _____ Reg. No. _____

Email: _____

Soils Engineering _____ Date _____ Phone _____
 (Signature)

Name _____ Firm _____ Reg. No. _____

Email: _____

Geology _____ Date _____ Phone _____
 (If applicable) (Signature)

Name _____ Firm _____ Reg. No. _____

Email: _____

QSD/QSP/CPESC _____ Date _____ Phone _____
 (If applicable) (Signature)

Name _____ Firm _____ Reg. No. _____

Email: _____

INSTRUCTIONS: This document must be completed and filed with the County before the grading permit may be issued.



SW Form

MINIMUM BEST MANAGEMENT PRACTICES FOR ALL CONSTRUCTION SITES

Prior to the commencement of any clearing, grading, or excavation, contractors of projects with construction activities shall prepare this best management practices (BMPs) worksheet on the form provided herein. The completed SW Form is required to be available at the project site throughout construction.

The purpose of implementing BMPs is to effectively prohibit the entry of pollutants from the construction site into the storm drain system during construction. Erosion and sediment source control BMPs should be considered for both active and inactive construction areas. BMPs for wind erosion and dust control are also included. The BMPs may require modification as the project progresses and as conditions warrant.

The BMPs shall be implemented in accordance with the National Pollutant Discharge Elimination System (NPDES) Ventura Countywide Stormwater Municipal Permit No. CAS004004 (Order R4-2021-0105) dated July 23, 2021.

The applicant/owner is responsible for ensuring that all project contractors and subcontractors implement all applicable BMPs.

Project Name

Project Information (as applicable)

Assessor Parcel Number: _____

Grading Permit No.: _____

Building Permit No.: _____

Conditional Use Permit No.: _____

Location: _____

General Description: _____

Construction Start Date: _____

Construction Completion Date: _____

Disturbed Area in Acres: _____

Best Management Practices - BMPs

Complete the following table. The BMPs listed shall be used unless determined not applicable or inadequate. Additional BMPs may apply and should be added to the bottom of the table. BMP descriptions and details can be downloaded from the California Stormwater Handbooks at www.casqa.org or Construction Site Best Management Practices (BMP) Manual <https://dot.ca.gov/programs/construction/storm-water-and-water-pollution-control/manuals-and-handbooks>.

Table A. Minimum BMPs for All Construction Sites

BMPs Selected <i>Noted by IDs from the California Stormwater BMP Handbooks</i>		Use BMP		(If no, explain)
		Yes	No	
Site Management				
N/A	Housekeeping			
Erosion Controls				
EC-1/SS-1	Scheduling			
EC-2/SS-2	Preservation of Existing Vegetation			
WE-1	Wind Erosion Controls			
Sediment Controls				
(SE-1/SC-1, SE-8/SC-8)	Perimeter Controls (e.g., Silt Fence, Sandbag Barriers, etc.)			
TC-1	Stabilized Construction Site Entrance/Exit			
Non-Stormwater Management				
NS-1	Water Conservation Practices			
NS-2	Dewatering Operations			
Waste Management				
WM-1	Material Delivery and Storage			
WM-3	Stockpile Management			
WM-4	Spill Prevention and Control			
WM-5	Solid Waste Management			
WM-8	Concrete Waste Management			
WM-9	Sanitary/Septic Waste Management			
Additional BMPs Selected				

REMOVE & RECOMPACT

JOB ADDRESS: _____

OWNER: _____
SOILS REPORT PREPARED BY: _____
DATED: _____
PROJECT NUMBER: _____

SITE PREPARATIONS PER THE SOILS ENGINEERING REPORT

DIMENSIONS: _____
DEPTH: _____
BUILDING OFFSETS: _____

EARTHWORK QUANTITIES (EST. CY)

EXCAVATION: _____
FILL: _____
IMPORT/EXPORT: _____
SOURCE/DISPOSAL SITE LOCATION: _____

GENERAL GRADING NOTES:

1. GRADING ACTIVITIES SHALL BE IN ACCORDANCE WITH THE VENTURA COUNTY BUILDING CODE (VCBC) APPENDIX J - GRADING, LATEST EDITION AND VENTURA COUNTY PUBLIC WORKS AGENCY (VCPWA) GRADING PERMIT CONDITIONS.
2. THE GRADING PERMIT AND WORK SHOWN IN THESE PLANS IS VALID ONLY TO THE EXTENT OF THE VENTURA COUNTY BUILDING CODE APPENDIX J - GRADING, PERMITS OR PERMISSIONS THAT MAY BE REQUIRED BY OTHER REGULATORY AGENCIES OR INTERESTED PARTIES ARE THE RESPONSIBILITY OF THE PERMITTEE.
3. A PRE-CONSTRUCTION MEETING SHALL BE HELD AT THE SITE PRIOR TO ANY GRADING ACTIVITY OR LAND DISTURBANCES WITH THE FOLLOWING PARTIES PRESENT: OWNER, GRADING CONTRACTOR, PROJECT PROFESSIONALS, VCPWA INSPECTOR, AND OTHER JURISDICTIONAL AGENCIES WHEN REQUIRED.
4. THE PERMITTEE SHALL BE RESPONSIBLE FOR DETERMINING THE EXISTENCE AND LOCATION OF ANY EXISTING UNDERGROUND FACILITIES.
5. AN EXCAVATOR PLANNING TO CONDUCT AN EXCAVATION SHALL NOTIFY UNDERGROUND SERVICE ALERT--SOUTHERN CALIFORNIA (TOLL FREE AT 811) AT LEAST TWO WORKING DAYS, AND NOT MORE THAN 14 CALENDAR DAYS, BEFORE BEGINNING THAT EXCAVATION. THE EXCAVATOR SHALL OBTAIN A DIGALERT TICKET REQUESTING THE UTILITY OWNERS TO MARK OR OTHERWISE INDICATE THE LOCATION OF THEIR SUBSURFACE FACILITIES AND SHALL RENEW TICKET(S) AS REQUIRED TO MAINTAIN VALIDITY THROUGHOUT THE DURATION OF GRADING ACTIVITIES. THE EXCAVATOR SHALL DETERMINE THE LOCATION AND DEPTH OF ALL UTILITIES, INCLUDING ALL SERVICE CONNECTIONS, WHICH HAVE BEEN MARKED BY THE RESPECTIVE OWNERS AND WHICH MAY AFFECT OR BE AFFECTED BY ITS OPERATIONS. THE EXCAVATOR SHALL TAKE ALL NECESSARY MEASURES TO PROTECT ALL UTILITIES AND STRUCTURES FOUND AT THE SITE. (REF. CALIFORNIA GOVERNMENT CODE SECTION 4216.)
6. EQUIPMENT NOISE SHALL NOT BEGIN UNTIL AFTER 7:00 A.M AND SHALL END BY 7:00 P.M. SAMEDAY. NO WORK BEYOND 4:30 PM UNLESS APPROVED BY VCPWA.
7. TOTAL TRUCK ROUND TRIPS FOR THE GRADING OPERATIONS CARRYING EARTH MATERIALS SHALL NOT EXCEED 5 TRUCKS PER HOUR OR OCCUR DURING PEAK TRAFFIC HOURS. TRUCK TRAFFIC SHALL NOT CREATE A SAFETY HAZARD FOR INGRESS OR EGRESS ROUTES SUCH AS TRUCK STAGING, CLOGGING TURN POCKETS, OR LINE OF SIGHT.
8. NO GRADING ACTIVITY SHALL OCCUR IN ANY WETLAND, BLUE-LINE STREAM, RED-LINE CHANNEL, OR FLOODPLAIN WITHOUT THE PROPER PERMITS & PERMISSION FROM THE VCPWA & VENTURA COUNTY RESOURCE MANAGEMENT AGENCY (RMA), OR OTHER AUTHORITIES HAVING JURISDICTION.
9. RETAINING WALLS, BRIDGES, AND OTHER STRUCTURES REQUIRE A SEPARATE PERMIT FROM BUILDING AND SAFETY.
10. ALL RECOMMENDATIONS MADE BY THE GEOTECHNICAL ENGINEERING PROFESSIONAL (AND GEOLOGICAL PROFESSIONAL, WHERE EMPLOYED) CONTAINED IN THE REPORTS AS APPROVED BY VCPWA SHALL BE A PART OF THIS GRADING PLAN.
11. ALL DISTURBED SURFACES SUBJECT TO EROSION SHALL BE PROTECTED IN ACCORDANCE WITH THE VENTURA COUNTYWIDE MUNICIPAL STORMWATER NPDES PERMIT. SEDIMENT AND EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED FULLY FUNCTIONAL.
12. ALL AREAS TO RECEIVE FILL SHALL BE INSPECTED AND APPROVED BY THE GEOTECHNICAL ENGINEERING PROFESSIONAL (AND GEOLOGICAL PROFESSIONAL WHERE EMPLOYED) AND VCPWA INSPECTOR AFTER REMOVAL OF UNSUITABLE MATERIAL AND EXCAVATION OF KEYWAYS AND BENCHES, AND PRIOR TO PLACEMENT OF SUBSURFACE DRAINAGE SYSTEMS OR FILL.
13. ALL MATERIALS DEEMED UNSUITABLE FOR PLACEMENT IN COMPACTED FILL (I.E. SHALE, SOD, ROOTS, RUBBISH, TRASH, LUMBER, ORGANIC MATERIAL, ASHES AND OTHER DEBRIS, UNUSUAL COLOR, CONTAMINATION, AND SULFIDE ODOR) SHALL BE REMOVED FROM THE SITE AND PROPERLY DISPOSED OF. MATERIALS SUCH AS CONSTRUCTION INERT DEBRIS, OR IMPORTED MATERIALS SHALL BE APPROVED BY THE GEOTECHNICAL ENGINEERING PROFESSIONAL PRIOR TO USE IN COMPACTED FILL. WHERE EXCAVATED MATERIAL IS LARGER THAN TWELVE INCHES IN LARGEST DIMENSION, IT MUST BE BROKEN INTO SMALLER PARTICLE SIZES, BEFORE BEING USED AS FILL.
14. THE GEOTECHNICAL ENGINEERING PROFESSIONAL SHALL DIRECT THE REMOVAL OF ANY EXISTING UNDERGROUND STRUCTURES SUCH AS SEPTIC TANKS, IRRIGATION LINES, ETC.
15. ANY WATER WELL LOCATED WITHIN THE AREA OF DISTURBANCE SHALL BE REPORTED TO VCPWA, WATERSHED PROTECTION, WATER RESOURCES DIVISION, PRIOR TO ITS MODIFICATION, ABANDONMENT, OR DESTRUCTION.
16. ANY OIL WELL LOCATED WITHIN THE AREA OF DISTURBANCE SHALL BE REPORTED TO THE STATE OF CALIFORNIA, GEOLOGIC ENERGY MANAGEMENT DIVISION PRIOR TO ITS MODIFICATION, ABANDONMENT, OR DESTRUCTION.
17. ALL TEMPORARY EXCAVATIONS MUST BE EXAMINED BY THE GEOLOGICAL PROFESSIONAL, GEOTECHNICAL ENGINEERING PROFESSIONAL, AND VCPWA INSPECTOR. FIELD CERTIFICATION MUST BE SUBMITTED BY THE CONSULTANTS PRIOR TO PLACING FILL.
18. THE GEOTECHNICAL ENGINEERING PROFESSIONAL (AND GEOLOGICAL PROFESSIONAL, WHERE EMPLOYED) SHALL PROVIDE RECOMMENDATIONS AND APPROVE CORRECTIVE WORK TO ENSURE EXCAVATION SAFETY WHEN UNSTABLE MATERIAL IS EXPOSED.
19. PRIOR TO ANY CLEARANCES FOR BUILDING AND SAFETY PERMIT ISSUANCE OR INSPECTION, THE FOLLOWING ITEMS SHALL BE APPROVED BY VCPWA:
 - A. ALL ROUTINE INSPECTION REPORTS AS REQUIRED BY VCBC OR OTHERWISE REQUESTED BY BUILDING OFFICIAL.
 - B. ROUGH GRADE SOILS ENGINEERING (AND ENGINEERING GEOLOGY, IF APPLICABLE) REPORTS SUMMARIZING ALL EARTHWORK PERFORMED AND CONCLUDING THAT THE WORK HAS BEEN COMPLETED ACCORDING TO THE APPROVED REPORTS.
20. THE TRUNK LOCATION OF ALL TREES WITHIN THE AREA OF GRADING (INCLUDING ACCESS ROADS AND STORAGE AREAS) SHALL BE SHOWN. SHOW THE APPROXIMATE OUTLINE OF ALL TREE CANOPIES WITH TRUNKS OUTSIDE THE GRADING AREA THAT ARE WITHIN 50' OF THE LIMITS OF GRADING, INCLUDING CANOPIES OF TREES GROWING ON ADJACENT PARCEL(S). CONTACT PLANNING DIVISION FOR TREE PERMIT INFORMATION INCLUDING A LIST OF PROTECTED TREES & REQUIRED SETBACKS.
21. IF CULTURAL RESOURCES ARE ENCOUNTERED DURING CONSTRUCTION, CONSTRUCTION ACTIVITIES SHALL HALT IN THE AREA OF THE FINDINGS. A QUALIFIED ARCHEOLOGICAL CONSULTANT SHALL BE NOTIFIED AND A SITE EVALUATION CONDUCTED AS NECESSARY TO ASSESS THE SITE AND DETERMINE FURTHER MITIGATION MEASURES, AS APPROPRIATE.
22. HORIZONTAL AND VERTICAL LOCATION AND ACCURACY OF CONSTRUCTION SHALL BE THE RESPONSIBILITY OF THE PERMITTEE AND MAY REQUIRE VERIFICATION BY LICENSED LAND SURVEYOR WHEN ADJACENT TO PROPERTY LINES.



Know what's below.
Call before you dig.

APN _____

GRADING / SITE PLAN

GP _____

JOB ADDRESS: STREET ADDRESS
 CITY, STATE, ZIP CODE
OWNER: PROPERTY OWNER
SOILS REPORT PREPARED BY: CONSULTANT(S)
DATED: REPORT DATE(S)
PROJECT NUMBER: CONSULTANT PROJECT NUMBER(S)

REMOVE & RECOMPACT

NOTE: FOR EXAMPLE PURPOSES ONLY

SITE PREPARATIONS PER THE SOILS ENGINEERING REPORT
 DIMENSIONS: ON PLAN
 DEPTH: 4'
 BUILDING OFFSETS: 3'
 DEPTHS AND OFFSETS AS RECOMMENDED BY SOILS REPORT

EARTHWORK QUANTITIES (EST. CY)
 EXCAVATION: 344 CY
 FILL: 344 CY
 IMPORT/EXPORT: N/A
 SOURCE/DISPOSAL SITE LOCATION: N/A

GENERAL GRADING NOTES:

- GRADING ACTIVITIES SHALL BE IN ACCORDANCE WITH THE VENTURA COUNTY BUILDING CODE (VCBC) APPENDIX J - GRADING, LATEST EDITION AND VENTURA COUNTY PUBLIC WORKS AGENCY (VCPWA) GRADING PERMIT CONDITIONS.
- THE GRADING PERMIT AND WORK SHOWN IN THESE PLANS IS VALID ONLY TO THE EXTENT OF THE VENTURA COUNTY BUILDING CODE APPENDIX J - GRADING. PERMITS OR PERMISSIONS THAT MAY BE REQUIRED BY OTHER REGULATORY AGENCIES OR INTERESTED PARTIES ARE THE RESPONSIBILITY OF THE PERMITTEE.
- A PRE-CONSTRUCTION MEETING SHALL BE HELD AT THE SITE PRIOR TO ANY GRADING ACTIVITY OR LAND DISTURBANCES WITH THE FOLLOWING PARTIES PRESENT: OWNER, GRADING CONTRACTOR, PROJECT PROFESSIONALS, VCPWA INSPECTOR, AND OTHER JURISDICTIONAL AGENCIES WHEN REQUIRED.
- THE PERMITTEE SHALL BE RESPONSIBLE FOR DETERMINING THE EXISTENCE AND LOCATION OF ANY EXISTING UNDERGROUND FACILITIES.
- AN EXCAVATOR PLANNING TO CONDUCT AN EXCAVATION SHALL NOTIFY UNDERGROUND SERVICE ALERT--SOUTHERN CALIFORNIA (TOLL FREE AT 811) AT LEAST TWO WORKING DAYS, AND NOT MORE THAN 14 CALENDAR DAYS, BEFORE BEGINNING THAT EXCAVATION. THE EXCAVATOR SHALL OBTAIN A DIGALERT TICKET REQUESTING THE UTILITY OWNERS TO MARK OR OTHERWISE INDICATE THE LOCATION OF THEIR SUBSURFACE FACILITIES AND SHALL RENEW TICKET(S) AS REQUIRED TO MAINTAIN VALIDITY THROUGHOUT THE DURATION OF GRADING ACTIVITIES. THE EXCAVATOR SHALL DETERMINE THE LOCATION AND DEPTH OF ALL UTILITIES, INCLUDING ALL SERVICE CONNECTIONS, WHICH HAVE BEEN MARKED BY THE RESPECTIVE OWNERS AND WHICH MAY AFFECT OR BE AFFECTED BY ITS OPERATIONS. THE EXCAVATOR SHALL TAKE ALL NECESSARY MEASURES TO PROTECT ALL UTILITIES AND STRUCTURES FOUND AT THE SITE. (REF: CALIFORNIA GOVERNMENT CODE SECTION 4216.)
- EQUIPMENT NOISE SHALL NOT BEGIN UNTIL AFTER 7:00 A.M AND SHALL END BY 7:00 P.M. SAMEDAY. NO WORK BEYOND 4:30 PM UNLESS APPROVED BY VCPWA.
- TOTAL TRUCK ROUND TRIPS FOR THE GRADING OPERATIONS CARRYING EARTH MATERIALS SHALL NOT EXCEED 5 TRUCKS PER HOUR OR OCCUR DURING PEAK TRAFFIC HOURS. TRUCK TRAFFIC SHALL NOT CREATE A SAFETY HAZARD FOR INGRESS OR EGRESS ROUTES SUCH AS TRUCK STAGING, CLOGGING TURN POCKETS, OR LINE OF SIGHT.
- NO GRADING ACTIVITY SHALL OCCUR IN ANY WETLAND, BLUE-LINE STREAM, RED-LINE CHANNEL, OR FLOODPLAIN WITHOUT THE PROPER PERMITS & PERMISSION FROM THE VCPWA & VENTURA COUNTY RESOURCE MANAGEMENT AGENCY (RMA), OR OTHER AUTHORITIES HAVING JURISDICTION.
- RETAINING WALLS, BRIDGES, AND OTHER STRUCTURES REQUIRE A SEPARATE PERMIT FROM BUILDING AND SAFETY.
- ALL RECOMMENDATIONS MADE BY THE GEOTECHNICAL ENGINEERING PROFESSIONAL (AND GEOLOGICAL PROFESSIONAL, WHERE EMPLOYED) CONTAINED IN THE REPORTS AS APPROVED BY VCPWA SHALL BE A PART OF THIS GRADING PLAN.
- ALL DISTURBED SURFACES SUBJECT TO EROSION SHALL BE PROTECTED IN ACCORDANCE WITH THE VENTURA COUNTYWIDE MUNICIPAL STORMWATER NPDES PERMIT. SEDIMENT AND EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED FULLY FUNCTIONAL.
- ALL AREAS TO RECEIVE FILL SHALL BE INSPECTED AND APPROVED BY THE GEOTECHNICAL ENGINEERING PROFESSIONAL (AND GEOLOGICAL PROFESSIONAL WHERE EMPLOYED) AND VCPWA INSPECTOR AFTER REMOVAL OF UNSUITABLE MATERIAL AND EXCAVATION OF KEYWAYS AND BENCHES, AND PRIOR TO PLACEMENT OF SUBSURFACE DRAINAGE SYSTEMS OR FILL.
- ALL MATERIALS DEEMED UNSUITABLE FOR PLACEMENT IN COMPACTED FILL (I.E. LUMBER, LOGS, BRUSH, COMPRESSIBLE SOILS, OR ANY ORGANIC MATERIALS OR RUBBISH) SHALL BE REMOVED FROM THE SITE. MATERIALS SUCH AS CONSTRUCTION INERT DEBRIS, OR IMPORTED MATERIALS SHALL BE APPROVED BY THE GEOTECHNICAL ENGINEERING PROFESSIONAL AND VCPWA GRADING INSPECTOR PRIOR TO USE IN COMPACTED FILL. WHERE EXCAVATED MATERIAL IS LARGER THAN TWELVE INCHES IN LARGEST DIMENSION, IT MUST BE BROKEN INTO SMALLER PARTICLE SIZES, BEFORE BEING USED AS FILL.
- THE GEOTECHNICAL ENGINEERING PROFESSIONAL SHALL DIRECT THE REMOVAL OF ANY EXISTING UNDERGROUND STRUCTURES SUCH AS SEPTIC TANKS, IRRIGATION LINES, ETC.
- ANY WATER WELL LOCATED WITHIN THE AREA OF DISTURBANCE SHALL BE REPORTED TO VCPWA, WATERSHED PROTECTION, WATER RESOURCES DIVISION, PRIOR TO ITS MODIFICATION, ABANDONMENT, OR DESTRUCTION.
- ANY OIL WELL LOCATED WITHIN THE AREA OF DISTURBANCE SHALL BE REPORTED TO THE STATE OF CALIFORNIA, GEOLOGIC ENERGY MANAGEMENT DIVISION PRIOR TO ITS MODIFICATION, ABANDONMENT, OR DESTRUCTION.
- ALL TEMPORARY EXCAVATIONS MUST BE EXAMINED BY THE GEOLOGICAL PROFESSIONAL, GEOTECHNICAL ENGINEERING PROFESSIONAL, AND VCPWA INSPECTOR. FIELD CERTIFICATION MUST BE SUBMITTED BY THE CONSULTANTS PRIOR TO PLACING FILL.
- THE GEOTECHNICAL ENGINEERING PROFESSIONAL (AND GEOLOGICAL PROFESSIONAL, WHERE EMPLOYED) SHALL PROVIDE RECOMMENDATIONS AND APPROVE CORRECTIVE WORK TO ENSURE EXCAVATION SAFETY WHEN UNSTABLE MATERIAL IS EXPOSED.
- PRIOR TO ANY CLEARANCES FOR BUILDING AND SAFETY PERMIT ISSUANCE OR INSPECTION, THE FOLLOWING ITEMS SHALL BE APPROVED BY VCPWA:
 - ALL ROUTINE INSPECTION REPORTS AS REQUIRED BY VCBC OR OTHERWISE REQUESTED BY BUILDING OFFICIAL;
 - ROUGH GRADE SOILS ENGINEERING (AND ENGINEERING GEOLOGY, IF APPLICABLE) REPORTS SUMMARIZING ALL EARTHWORK PERFORMED AND CONCLUDING THAT THE WORK HAS BEEN COMPLETED ACCORDING TO THE APPROVED REPORTS.
- THE TRUNK LOCATION OF ALL TREES WITHIN THE AREA OF GRADING (INCLUDING ACCESS ROADS AND STORAGE AREAS) SHALL BE SHOWN. SHOW THE APPROXIMATE OUTLINE OF ALL TREE CANOPIES WITH TRUNKS OUTSIDE THE GRADING AREA THAT ARE WITHIN 50' OF THE LIMITS OF GRADING, INCLUDING CANOPIES OF TREES GROWING ON ADJACENT PARCEL(S). CONTACT PLANNING DIVISION FOR TREE PERMIT INFORMATION INCLUDING A LIST OF PROTECTED TREES & REQUIRED SETBACKS.
- IF CULTURAL RESOURCES ARE ENCOUNTERED DURING CONSTRUCTION, CONSTRUCTION ACTIVITIES SHALL HALT IN THE AREA OF THE FINDINGS. A QUALIFIED ARCHEOLOGICAL CONSULTANT SHALL BE NOTIFIED AND A SITE EVALUATION CONDUCTED AS NECESSARY TO ASSESS THE SITE AND DETERMINE FURTHER MITIGATION MEASURES, AS APPROPRIATE.
- HORIZONTAL AND VERTICAL LOCATION AND ACCURACY OF CONSTRUCTION SHALL BE THE RESPONSIBILITY OF THE PERMITTEE AND MAY REQUIRE VERIFICATION BY LICENSED LAND SURVEYOR WHEN ADJACENT TO PROPERTY LINES.

LIST ALL SOILS REPORTS ASSOCIATED WITH THE PROJECT


EARTHWORK VOLUMES INCLUDING OVEREXCAVATION

LIST ANY SOIL IMPORT OR EXPORT VOLUME AND SOURCE LOCATION(S)

SHOW PROPERTY LINE SETBACKS

STREET NAME

PLANS REQUIRE A NORTH ARROW AND SCALE



SCALE 1/8"=1'

SHOW OVEREXCAVATION DIMENSIONS ON PLAN

SHOW PARCEL BOUNDARIES

APN 000-0-000-000




APN 000-0-000-000

LIST COMPLETE APN OF PROJECT PARCEL

GRADING / SITE PLAN

GP 00-0000

INCLUDE GRADING PERMIT RECORD NUMBER



SITE LAYOUT FROM BUILDING PLANS OR ZONING CLEARANCE MAY BE USED (WHEN APPROPRIATE) ON THE GRADING PLAN SHEET